

**CITY OF MADISON LAKE
PLANNING COMMISSION MINUTES
December 26, 2011**

ROLL CALL:

Upon roll call the following members were present: Mike Klassen, Rick Anderson, Annette McBeth, and Ron Voth

Members Absent: Clell Hemphill and Ann Austad

Staff Present: City Administrator Kelly Steele

Others Present: None

CALL TO ORDER:

Chair Klassen called the regular meeting to order at 7:20 p.m.

CONSENT AGENDA:

A Motion by Voth seconded by McBeth, to approve the December 26, 2011, agenda, the October 24, 2011, regular meeting minutes, and the October 24, 2011, work session minutes.

Roll Call- Ayes: Klassen, Anderson, McBeth, and Voth
 Nays: None
 Motion Carried

Public Open Forum

No comments.

Unfinished Business:

5A) Zoning Ordinance Revisions

- Commissioners discussed the building moving ordinance and determined they would like to review the size of structure that will trigger the requirement of a moving permit.
- Commissioners will continue to review ordinance revisions during future meetings.

5B) Comprehensive Trail Plan

- MSU is interested in working with the City on our trail and Main Street projects.
- MSU suggested the City focus on our local trail system rather than a new trail system with Lake Washington.
- The cost for MSU to assist the City is not known at this time.
- Additional information will be learned after January 1.

5C) Wireless Telecommunication Towers and Antennas

- Two sample ordinances were reviewed.
- Current ordinance requires a conditional use permit to install a tower or antenna.
- The Commission is seeking additional direction from the Council.

Updates:

7A) Tomahawk Easement

- The Tomahawk developer needs to resolve an issue with the placement of a new building in the City's utility easement.

ADJOURN:

A Motion to adjourn at 8:12 p.m. was made by McBeth, seconded by Anderson.

**CITY OF MADISON LAKE
PLANNING COMMISSION MINUTES
December 26, 2011**

Roll Call- Ayes: Anderson, Klassen, McBeth, and Voth
Nays: None
Motion Carried

Attest:

Kelly Steele, City Administrator-Clerk